











- [36] A. Egea-Alvarez, A. Junyent-Ferre, O. Gomis-Bellmunt, J. Liang, J. Ekanayake, and N. Jenkins, "Operation and control of VSC-HVDC multiterminal grids for offshore wind," Proceedings of Conference on Power Electronics and Applications, pp.1-9, 2011.
- [37] J. Liang, O. Gomis-Bellmunt, J. Ekanayake, and N. Jenkins, "Control of multi-terminal VSC-HVDC transmission for offshore wind power," European Conference on Power Electronics and Applications," pp. 1-10, 2009.
- [38] C. Feltes, H. Wrede, F. W. Koch, and I. Erlich, "Enhanced fault ride-through method for wind farms connected to the grid through VSC-Based HVDC transmission," in IEEE Trans. Power Systems, 2009, vol. 24, no. 3, pp. 1537-1546.
- [39] T. D. Vrionis, X. I. Koutiva, N. A. Vovos, and G. B. Giannakopoulos, "Control of an HVDC link connecting a wind farm to the grid for fault ride-through enhancement," IEEE Transactions on Power Systems, vol. 22, no.4, pp. 2039-2047, 2007.
- [40] W. Lu and B. T. Ooi, "DC overvoltage control during loss of converter in multiterminal voltage-source converter-based HVDC(M-VSC-HVDC)," Power Delivery, IEEE Transactions on, vol. 18, no. 3, pp. 915 -920, July 2003.
- [41] T. D. Vrionis, X. I. Koutiva, N. A. Vovos, and G. B. Giannakopoulos, "Control of an HVDC link connecting a wind farm to the grid for fault ride-through enhancement," IEEE Transactions on Power Systems, vol. 22, no. 4, pp. 2039 - 2047, Nov. 2007.
- [42] K. H. Ahmed et al, "Fault ride through capability enhancement based on flywheel energy storage system for wind farms connected via VSC high voltage DC transmission," pp. 1-6, 2012.
- [43] A. Arulampalam, G. Ramtharan, N. Caliao, J. Ekanayake and N. Jenkins, " Simulated Onshore-Fault Ride Through of Offshore Wind Farms Connected Through VSC HVDC," Wind Engineering, vol. 32, no. 2, pp. 103-114, 2008.
- [44] Alstom, HVDC- Connecting to the future: Alstom, 2010.
- [45] B. Jacobson, P. Karlsson, G. Asplund, L. Harnefors, and T. Jonsson, "VSC- HVDC Transmission with Cascaded Two-level Converters, " Cigre B4 – 110, 2010.
- [46] A. J. Beddard, "Factors Affecting the Reliability of VSC-HVDC for the Connection of Offshore Windfarms," PhD thesis, The university of Manchester, UK, 2014.
- [47] Guidance Notes for Power Park Developers (2007), "Grid Code Connection Conditions Compliance: Testing & Submission of Compliance Report – Issue 1.1,".
- [48] A. Nachiappan, K. Sundararajan, and V. Malarselvam, "Current controlled voltage source inverter using Hysteresis controller and PI controller," EPSCICON International Conf., pp. 1-6, January 2010.
- [49] M. Lafoz, I. Iglesias, C. Vezanzones, and M. Visiers, "A novel double hysteresis-band current control for a three- level voltage source inverter, " IEEE Trans. On Power Electronics Specialists, vol. 1, pp. 21-26, 2000.
- [50] A. J. Mahdi, W. H. Tang, L. Jiang, and Q. H. Wu, "A Comparative study on variable – speed operations of a wind generation system using vector control," EA4EPQ International Conf. on renewable energies and power quality, March 2010.
- [51] L. X, and L. Yao, "DC voltage control and power dispatch of a multi-terminal HVDC system for integrating large offshore wind farms," IET Renewable Power Generation Journal, vol. 5, pp. 223-233, May 2011.

Author's accepted manuscript